

PROPOSED AMENDMENTS TO 2012 IgCC
Chapter 6 – Energy Conservation, Efficiency and CO₂e Emission Reduction
For Discussion at the DPS Public Work Session
June 11, 2014 2:00pm – 4:00pm
(Proposed by DPS)

- Sec. 16. Section 604 **Automated Demand-Response Infrastructure**: Move to Appendix A.
- Sec. 17. Section 607.1 **Prescriptive Compliance**: Add new first sentence: “Unless regulated by Washington Suburban Sanitary Commission (WSSC) the following shall apply.”
- Sec. 18. Section 608.3 **Interior light reduction controls**, Exception 2: Delete reference to International Fire Code and replace with “Montgomery County Fire Safety Code.”
- Sec. 19. Section 608.6 **Plug load controls**. Replace first sentence to read: “When installed, receptacles and electrical outlets in the following spaces shall be controlled by an occupant sensor or time switch as follows:”
- Sec. 20. Section 608.6(3) change to read: “When receptacles are required, in classrooms in Group B and Group E occupancies, not less than four controlled receptacles shall be provided in each classroom.”
- Sec. 21. Delete Sections 608.6.3 – 608.6.6.
- Sec. 22. Section 608.10 **Verification of lamps and ballasts**. Replace with the following: Prior to the issuance of a certificate of occupancy, the field inspector must receive certification confirming the installation of luminaires, type and quantity; lamps, type, wattage and quantity, and ballasts, type and performance for each type, for consistency with the approved construction documents. Where a discrepancy is found, energy calculations shall be revised and resubmitted. Certification shall be provided by a registered design professional.
- Sec. 23. Section 608.11 **Verification of lighting controls**. Replace with the following: Prior to the issuance of a certificate of occupancy, the field inspector must receive certification confirming the installation of lighting controls shown on the approved construction documents. Where a discrepancy is found, the installation shall be reviewed for conformance to the International Energy Conservation Code and Sections 608.2, 608.3, 608.4, 608.5, and 608.6. Certification shall be provided by a registered design professional.
- Sec. 24. Section 609.2 **Permanent appliances and equipment**. Delete reference to International Plumbing Code and add Montgomery County Fire Safety Code.
- Sec. 25. Sections 609.2.1 through 609.2.2.5: Delete in its entirety.

PROPOSED AMENDMENTS TO 2012 IgCC
Chapter 6 – Energy Conservation, Efficiency and CO2e Emission Reduction
For Discussion at the DPS Public Work Session
June 11, 2014 2:00pm – 4:00pm
(Proposed by DPS)

Sec 26. Section 610 – **Renewable Energy Systems:** Move in its entirety to Appendix A (Project Electives).